



## TREE MANAGEMENT AT PRINCE'S GRANT

Over recent months it appears as if various homeowners took it upon themselves to prune or remove trees that are growing on the Estate.

We have compiled a list to assist with management of trees on the Estate. Any Homeowner that requires a tree to be pruned, re – planted or removed should make application to the Homeowners' Association. The attached list will act as a guideline, of which trees can be removed, pruned or should be left untouched due to their conservation significance.

We re-iterate that should any body require a tree to be removed, re-planted or pruned, it must be done through the offices of the Home Owners' Association. In the event of any Homeowner or guest damaging any trees on the estate, a significant fine will be issued.

PROCEDURE	ACTION	COMMENT
1. IDENTIFY TREE FROM LIST	HOMEOWNER	
2. CONTACT TREE HOUSE LANDSCAPING OR THE ESTATE MANAGER	HOMEOWNER	
3. LOOK AT IMPACT ON GOLF COURSE	TH/EM//GC	CEO and/or golf custodians to be to be consulted if impact on golf course
4. LOOK AT IMPACT ON NEIGHBOURS	TH/EM/CEO	Neighbours to be consulted if impact on neighbours
5. COST	HOMEOWNER	
6. IN CASE OF CONFLICT	PGHOA BOARD	

### KEY TO SYMBOLS

- A** - RARE - DON'T TOUCH
- B** - THIN OUT
- C** - PRUNE RIGHT DOWN
- D** - CAN REMOVE
- E** - CAN BE TRANSPLANTED

In terms of the Estate's Conditions of Establishment the Estate is obliged to be managed in terms of a strict environmental framework. We are also known for best practice in the conservation of fauna and flora, to ensure the situation is managed better and to avoid frustrations from the Homeowners

**TREES LARGE TO MEDIUM**

	<b>Acacia karoo</b> Fast growing pioneer. Growth variable, thorny	<b>Sweet thorn</b>	<b>C</b>
	<b>Acacia robusta</b> Handsome tree, attractive foliage. Thorny	<b>Brack thorn</b>	<b>C</b>
*	<b>Albizia adiantifolia</b> Needs initial shelter. Magnificent. Large conspicuous spreading crown	<b>Flat crown</b>	<b>B</b>
*	<b>Antidesma venosum</b> Low branching, autumn colour, decorative. Attracts birds	<b>Tassleberry</b>	<b>C</b>
*	<b>Apodytes dimidiata</b> Decorative, attractive in flower. Attracts birds. Good shape.	<b>White pear</b>	<b>C</b>
*	<b>Barringtonia racemosa</b> Good for wet areas.	<b>Powder puff tree</b>	<b>B</b>
*	<b>Brachylaena discolor</b> Pioneer shrub/tree. Good windbreak. Tolerant to salt winds.	<b>Umphahla, coast silver oak</b>	<b>D / E</b>
*	<b>Bridelia micrantha</b> Fast growing riverine fringe. Attracts birds. Shade tree with attractive foliage	<b>Coast goldleaf</b>	<b>C</b>
	<b>Calodendron capense</b> Lovely flowers. Decorative. Needs shelter	<b>Cape chestnut</b>	<b>B</b>
*	<b>Canthium inerme</b> Attracts birds and butterflies. Fruit edible	<b>Turkey berry</b>	<b>C</b>
	<b>Celtis africana</b> Stately, rounded crown, good garden subject	<b>White stinkwood</b>	<b>B</b>
	<b>Chaetacme aristata</b> Dense foliage attracts birds, bats and butterflies.	<b>Thorny elm</b>	<b>C</b>
	<b>Chionanthus peglerae</b> Similar to privet	<b>White pockironwood</b>	<b>C</b>
	<b>Chrysophyllum viridifolium</b> Tall forest tree, fluted trunk, attractive garden tree.	<b>Fluted milkwood</b>	<b>A</b>
	<b>Combretum krausii</b> Attractive form and foliage. Rewarding garden plant with spring flush, and red autumn foliage	<b>Forest bushwillow</b>	<b>B</b>
	<b>Combretum molle</b> Decorative attractive foliage and flowers	<b>Velvet bushwillow</b>	<b>B</b>
*	<b>Croton sylvaticus</b> Beautiful shade tree. Attractive autumn foliage.	<b>Forest fever berry</b>	<b>B / C</b>

**LARGE TO MEDIUM TREES CONTINUED:**

	<b>Cryptocarya woodii</b> Compact form, attractive.	<b>Cape quince</b>	<b>B</b>
	<b>Cussonia spicata</b> Decorative form tree	<b>Common cabbage tree</b>	<b>B</b>
	<b>Cussonia sphaerocephala</b> Decorative "feather duster" form tree	<b>Forest cabbage tree</b>	<b>B</b>
*	<b>Ekebergia capensis</b> Large shade tree. Fruit attracts birds.	<b>Cape ash</b>	<b>B / C</b>
	<b>Erythrina caffra</b> Scarlet orange flowers on bare branches. Spreading rounded crown	<b>Coastal coral tree</b>	<b>E/C/D</b>
*	<b>Erythrina lysistemon</b> Similar to caffra generally smaller and slower growing	<b>Common coral tree</b>	<b>E/C/D</b>
*	<b>Ficus natalensis</b> Large, densely leafed and spreading. Keep away from buildings	<b>Natal fig</b>	<b>E/C/D</b>
	<b>Ficus polita</b> Large attractive glossy foliage	<b>Wild rubber fig</b>	<b>E/C/D</b>
*	<b>Ficus sur</b> Large, coppery leaves in spring flush. Fruit attracts birds	<b>Cape fig</b>	<b>E/C/D</b>
*	<b>Harphephyllum caffrum</b> Tall, fast growing, needs protection	<b>Wild plum</b>	<b>B/C</b>
*	<b>Mimusops caffra</b> Slow growing, low branching, decorative tree, suitable for exposed sea facing dunes	<b>Red milkwood</b>	<b>A</b>
	<b>Millettia grandis</b> Spreading crown for shade, spikes of purple flowers	<b>Umzimbeet</b>	<b>B / C</b>
	<b>Olea woodiana</b> Attractive, upright, good container plant, attracts birds.	<b>Forest olive</b>	<b>B / C</b>

<b>B</b>	<b>Podocarpus falcatus</b>	<b>Common yellowwood</b>	<b>A /</b>
	Good screen tree, tall in forests		
*	<b>Protorus longifolia</b>	<b>Red beech</b>	<b>A / B</b>
	Forest margin tree, new leaves red, handsome tree for garden		
	<b>Psydrax obovatum</b>	<b>Quar</b>	<b>B / C</b>
	Good tree for exposed windy areas. Dune pioneer. Fruit eaten by birds.		
	<b>Rauvolfia caffra</b>	<b>Quinine tree</b>	<b>A</b>
	Decorative, large shiny leaves, likes damp. Fruit eaten by birds.		
	<b>Rhus chirindensis</b>	<b>Red raisin</b>	<b>C</b>
	Rounded crown, fast growing fruit favoured by birds		
	<b>Schefflera umbelifera</b>	<b>False cabbage tree</b>	<b>B</b>
	Found in wet and dry forests, form tree, white flowers		
	<b>Schotia brachypetala</b>	<b>Weeping boerbean</b>	<b>A</b>
	Red flowers on bare branches. Nectar attracts insects and birds.		

### LARGE TO MEDIUM TREES CONTINUED

*	<b>Sclerocarya birrea</b>	<b>Marula</b>	<b>B / C</b>
	Good shade tree with edible fruit. Attracts wildlife		
	<b>Scolopia zeyheri</b>	<b>Thorny pear</b>	<b>C</b>
	Quick growing, upright thorny tree. Fruit attracts insects and birds		
*	<b>Sideroxylon inerme</b>	<b>White milkwood</b>	<b>A</b>
	Resistant to salt spray. Gnarled twisted stem. Fruit favoured by wildlife		
	<b>Strychnos decussata</b>	<b>Cape teak</b>	<b>A / B</b>
	Dense crown		
*	<b>Syzigium cordatum</b>	<b>Umdoni</b>	<b>B / C</b>
	Edible fruit. Good for wet areas. Quick growing		
	<b>Teclea gerrardii</b>	<b>Zulu cherry orange</b>	<b>B / C</b>
	Neat decorative tree with a rounded shape		
*	<b>Trema orientalis</b>	<b>Pigeon wood</b>	<b>D</b>
	Pioneer, very fast growing, attracts birdlife. Host to number of butterfly species.		
*	<b>Trichilia dregeana</b>	<b>Forest mahogany</b>	<b>C / D</b>
	Large, dark green rounded crown. Suitable for parks and large gardens		
	<b>Trichilia emetica</b>	<b>Umkuhlu, Natal Mahogany</b>	<b>C / D</b>
	Medium to large/tall. Suitable for shade. Branches low down		
	<b>Turrea floribunda</b>	<b>Wild honey suckle tree</b>	<b>B / C</b>
	Medium to small. Attractive tree with sweet scented flowers. Good garden subject		
*	<b>Voacanga thouarsii</b>	<b>Wild frangipani</b>	<b>A</b>
	Requires swampy conditions, spreading crown. Creamy yellow flowers		
	<b>Vepris lanceolata</b>	<b>White ironwood</b>	<b>B / C</b>
	Shrub, small to medium tree. Widespread, will survive frontal dune area		
	<b>Ziziphus mucronata</b>	<b>Buffalo thorn</b>	<b>B</b>
	Spreading. Has thorns in pairs. Attractive glossy foliage		

**PALMS**

* <b>Hyphaene coriacea</b> Decorative palm 3-7m	<b>Lala palm</b>	<b>A / B</b>
<b>Phoenix reclinata</b> Clumps of erect or reclining stems	<b>Wild date palm</b>	<b>B / E</b>

**TREES MEDIUM TO SMALL**

* <b>Allophyllus natalensis</b> Very decorative, with low spreading bushy habit. Birds feed on fruit.	<b>Dune false currant</b>	<b>B / C</b>
<b>Acacia nilotica</b> Low, spreading, umbrella shape	<b>Scented thorn</b>	<b>B / C</b>
<b>Clerodendrum glabrum</b> Decorative, good screen white/pinkish flowers in profusion. Resistant to salt spray. Attracts butterflies and birds	<b>Tinderwood</b>	<b>C / D</b>
* <b>Deinbollia oblongifolia</b> Slender, erect, small tree that attracts butterflies and birds	<b>Dune soap berry</b>	<b>C / D</b>
<b>Diospyros whyteana</b> Dense glossy foliage, unusual fruit. Ornamental. Good hedging plant	<b>Bladder nut</b>	<b>B</b>
<b>Dodonea angustifolia</b> Decorative foliage, used to stabilise sand, will survive exposed windy conditions.	<b>Sand olive</b>	<b>C / D</b>
<b>Dombeya tiliacea</b> Showy white flowers. A lovely shrub or small tree, usually multistemmed	<b>Forest wild pear</b>	<b>B / E</b>
<b>Englerophytum natalensis</b> Very decorative understory tree. Good container subject. Sunbirds fed on flowers and fruit eaten by people and birds.	<b>Natal milkplum</b>	<b>A</b>
* <b>Euclea natalensis</b> Attractive bush tree, will survive salt spray, but will become stunted	<b>Natal guarri</b>	<b>B</b>
<b>Gardenia thunbergia</b> Showy flowers and fruit	<b>White gardenia</b>	<b>C / D</b>
* <b>Halleria lucida</b> Good garden plant with drooping habit flowers and fruit attracts birds.	<b>Tree fuschia</b>	<b>C / D</b>
<b>Heteropyxis nataleensis</b> Attractive form tree with aromatic foliage	<b>Lavender tree</b>	<b>B / C</b>
<b>Hibiscus tiliaceus</b> Multi-stemmed. Thrives close to water, salt and wind tolerant	<b>Lagoon hibiscus</b>	<b>C</b>
<b>Ochna natalitia</b> Worthwhile garden plant. Bright yellow flowers and red fruit. Attractive new foliage.	<b>Natal plane</b>	<b>B / C</b>
<b>Pavetta revoluta</b> Masses of white scented blooms.	<b>Dune brides bush</b>	<b>C / D</b>
<b>Rhus rehmanniana</b> Decorative, much branched, garden tree. Good filler and screening plant	<b>Blunt leaved currant</b>	<b>C / D</b>

**TREES MEDIUM TO SMALL CONTINUED**

* <b>Strelitzia nicolai</b> Essential part of coastal vegetation, good screening plant. Do not plant near drainage pipes or foundations.	<b>Natal wild banana</b>	<b>D / E</b>
* <b>Tabernaemontana ventricosa</b> Grows in deep shade, scented white flowers. Very decorative	<b>Forest toad tree</b>	<b>D</b>
<b>Trimeria grandiflora</b> Scrambling tree or shrub. Unusual foliage – good ornamental value	<b>Wild mulberry</b>	<b>C / D</b>